

Spectral[®]

Dome office luminaires



Floor-standing and pendant
luminaires

Dome

Floor-standing and pendant luminaires

Created in association with the Stuttgart-based architectural bureau blocher partners, the Dome luminaire family sets a whole new trend in office lighting design.

The design is a symbiosis of functional styling, flowing transitions and clear edge contours: The soft shape of the

matt-finished luminaire head in die cast aluminium contrasts effectively with the clarity of the specular light outlet surface.

Dome is available as a floor-standing or pendant luminaire, and ideally combines perfect lighting with innovative technical solutions.



Dome-P-K1



Dome-P-K2



Dome-S-KG



Dome-S-KL




Dome-S-KR

Dome Lighting meets design




LED




Dome Pendant luminaires

Dome


P





All the electrical components are integrated in the 35 mm high housing of the pendant luminaire.

Depending on the intended application, there is also a dual-head version of the pendant light available.





A daylight and presence-dependent control system can also be optionally integrated.


Dome Pendant luminaires



Dome-P-K1



Model	DOME-P-K1 6000-840 MPS-DA
Description	SINGLE-HEAD PENDANT LUMINAIRE
Prod. code	SPG0630010
Luminaire output	34 W
Luminaire luminous flux	4518 lm
Direct	63 %
Indirect	37 %
Luminaire efficiency	132 lm/W
EEC*	A++ - A





Dome-P-K2

Model	DOME-P-K2 12000-840 MPS-DA
Description	DUAL-HEAD PENDANT LUMINAIRE
Prod. code	SPG0630011
Luminaire output	68 W
Luminaire luminous flux	9036 lm
Direct	63 %
Indirect	37 %
Luminaire efficiency	132 lm/W
EEC*	A++ - A



Dome Pendant luminaires





LED

A matt finish panel protects the LED modules at the back of the luminaire head and scatters the indirect lighting component.



Dome Pendant luminaires





Dome Pendant luminaires





Dome Floor-standing luminaires

Dome


S



LED






Dome Floor-standing luminaires





Dome-S-KL


Model	DOME-S-KL 14800-840 MPS-DA
Description	HEAD LEFT
Prod. code	SPG0630008
Luminaire output	89 W
Luminaire luminous flux	12325 lm
Direct	23 %
Indirect	77 %
Luminaire efficiency	138 lm/W
EEC*	A++ - A



Dome-S-KR



Model	DOME-S-KR 14800-840 MPS-DA
Description	HEAD RIGHT
Prod. code	SPG0630009
Luminaire output	89 W
Luminaire luminous flux	12325 lm
Direct	23 %
Indirect	77 %
Luminaire efficiency	138 lm/W
EEC*	A++ - A






Dome-S-KG

Model	DOME-S-KG 14800-840 MPS-DA
Description	HEAD FORWARD
Prod. code	SPG0630007
Luminaire output	89 W
Luminaire luminous flux	12325 lm
Direct	23 %
Indirect	77 %
Luminaire efficiency	138 lm/W
EEC*	A++ - A



Dome Floor-standing luminaires





Dome Floor-standing luminaires





The lighting level is individually adjusted using the touch panel and/or the optional sensor system.


The control panel also features an integrated USB port for convenient smartphone or tablet charging.

Dome Floor-standing luminaires



77 %

23 %



Dome Floor-standing luminaires





Austria

RIDI Leuchten GmbH
Industriepark Nord
Rudolf-Hausner-Gasse 16
1220 Wien
T +43 (0) 1 / 7 34 42 10
F +43 (0) 1 / 7 34 42 10-5
office@ridi.at
www.ridi-group.de

Belgium

Axioma NV
Mannebeekstraat 31
8790 Waregem
T +32 (0) 56 62 21 30
F +32 (0) 56 62 21 40
info@axioma.be
www.axioma.be

Switzerland

RIDI (Schweiz) AG
Weberrütistraße 5
8833 Samstagern
T +41 (0) 43 / 888 2 777
F +41 (0) 43 / 888 2 778
info@ridi.ch
www.ridi-group.de

Czech Republic

Lumidée s.r.o.
Podolí 474,
664 03 Podolí u Brna
T +420 515 915 022
F +420 515 915 029
info@lumidee.cz
www.lumidee.cz

Slovakia

Lumidée Slovakia s.r.o.
Vlčie hrdlo 1
82107 Bratislava
T +421 904 533 375
info@lumidee.sk
www.lumidee.sk

Denmark

LUMINEX A/S
Vrøndingvej 7
8700 Horsens
T +45-7626 6700
F +45-7626 6701
info@luminex.dk
www.luminex.dk

Spain/Portugal/Andorra

inolite Iluminación, S.L.
Calle Aragon, 390, 3^a
08013 Barcelona
T +34-935 405 066
info@inolite.com
www.inolite.com

France

RIDI France Sàrl
ZI du Forlen
Impasse des Imprimeurs
67118 Geispolsheim
CS 90305 – 67411 Illkirch Cedex
T +33 (0) 3 88 77 07 77
F +33 (0) 3 88 77 36 99
info@ridi-france.com
www.ridi-group.fr

United Kingdom

RIDI Lighting Ltd
8/9 The Marshgate Centre
Parkway, Harlow Business Park
Harlow, Essex CM 19 5QP
T +44 (0) 12 79 / 45 08 82
F +44 (0) 12 79 / 45 11 69
enquiries@spectral-lighting.co.uk
www.ridi-group.com

Hungary

HOLUX Lighting Systems Co.Ltd.
Béke u. 51-55.
1135 Budapest
T +36 (0) 1 / 450-2700
F +36 (0) 1 / 450-2710
hoso@holux.hu
www.holux.hu

Italy

RIDI ITALIA SRL
Via Como, 15
20825 Barlassina (MB)
T +39 03 62 / 1 54 77 31
info@ridi-italia.it

Luxembourg

SCHMIDT-LUX S.a.r.l.
7, Fausermillen
6689 Mertert
T +352 26 71 43 41
F +352 26 71 43 51
info@schmidt-lux.lu
www.schmidt-lux.lu

Norway

Frizen Belysning
Box 4062
Narviga 7
4689 Kristiansand
T +47-3807 7100
F +47-3807 7101
post@frizen.no
www.frizen.no

Netherlands

Etaloid Verlichtingstechniek B. V.
Smaragdlaan 12
2132 VX Hoofddorp
T +31 (0) 23 / 5 61 62 26
F +31 (0) 23 / 5 64 04 41
info@etaloid.nl
www.etaloid.nl

Poland

RIDI POLSKA Sp. z o. o.
Natolin 68A
92-701 Łódź
T +48 (0) 42 / 6 71 93 00
F +48 (0) 42 / 6 71 93 99
lodz@ridi.pl
www.ridi-group.com

Spectral®

A RIDI Group brand

RIDI Leuchten GmbH · Hauptstraße 31-33 · 72417 Jungingen
T 0 74 77 / 872-0 · F 0 74 77 / 872-48 · kontakt@ridi-group.de

www.ridi-group.com · www.spectral-online.de